


Breeza 



Ficha técnica de CW-H15





Rendimiento de refrigeración evaporativa y eficiencia energética

El primer enfriador evaporativo con ventilador axial e inversor: Ahora con la aplicación inteligente Wi-Fi.


Especificaciones técnicas

MODEL:		CW-H15						
OPTIMUM PERFORMANCE	Airflow	Supply Air	1100 L/s @ 180 Pa 3960 m³/h @ 180 Pa					
		Exhaust Air	900 L/s 3240 m³/h					
	Temperature*	Supply Air	19.5 °C					
	Cooling Capacity*	Standalone	11 kW					
		Pre-Cooling	25 kW					
COP*	Standalone	6						
	Pre-Cooling	14						
ENVIRONMENT	Maximum Inlet Air Temperature	55 °C						
SERVICES	Electrical	Voltage	380-415V / 3N~ / 50Hz					
		Rated Current	4.9 A					
		Input Power	1.8 kW					
	Water	Supply	10 L/min Minimum 20 L/min Recommended @ 100 kPa - 800 kPa					
		Max Temperature	40 °C					
		Inlet	1/2" Male BSP					
		Consumption*	56 L/hr					
		Drain	40mm Flexible Coupling					
	Drain Flow Rate	35 L/min						
	Duct Connections	Supply Air	Side Discharge 500 x 500 mm					
Exhaust Air		Side Discharge 1230 x 260 mm						
AIR SYSTEMS	Supply Air Fan/Motor	Fan	1x 560mm Centrifugal Backward Curve					
		Motor	3.5 kW					
		Control	Variable Speed, ECM, PWM Control					
	Max Speed	1350 rpm						
Air Filters	Inlet	6x G4 Washable 457 x 508 x 50mm						
HEAT EXCHANGERS	Indirect Evaporative	3 Cores						
	Direct Evaporative	NONE						
WATER SYSTEMS	Tank (Reservoir) Capacity	65 L						
	Inlet Valve	12Vdc Solenoid Valve						
	Pumps	2 Pumps 13 LPM @ 1.5m Head						
	Indirect Heat Exchangers	230V 50Hz 30W ea.						
	Pump	NONE						
	Direct Heat Exchangers	NONE						
	Salinity Management	Conductivity Probe						
DIMENSIONS	Shipping	2290mm Long 1950mm Wide 1270mm High						
	Operating inc. Accessories	2290mm Long 1825mm Wide 1285mm High						
	Shipping	340 kg						
WEIGHT	Shipping	340 kg						
	Operating inc. Water/Accessories	330 kg						
FREQUENCY (Hz)	Air Inlet Sound Power Level (db re 1 pW) Octave Band Centre Frequency							Total Sound Power (db re 1pW)
	125	250	500	1k	2k	4k	8k	
CW-H15	84	68	65	62	55	51	44	70

Detalles del gabinete



Curva de los ventiladores



¡Para más información ponte en **contacto** con nosotros!

Sé un **distribuidor** y sé parte de la revolución en el
enfriamiento de espacios para tus clientes

¿Tienes preguntas?

Hablemos

 [+52 1228 1088](tel:+5212281088)

 jorge@cg.international

 cg.international

